

Ref.	DC12
2020/10/20	

FLCMOOR1200 & FLCMOOR1500


Polyethylene mooring buoy



Rotationally molded
UV stabilized high density Polyethylene
Galvanized steel
Polyurethane foam

3 YEARS WARRANTY


Manufactured in France
Quality materials
Available in a wide range of colors
Includes 4 lifting handles for an easy servicing and installation
Container loading optimization
Cost effective product



General Specifications	FLCMOOR1200	FLCMOOR1500
Diameter (mm)	1200	1500
Height (mm)	779	929
Weight (kg)	92	127
Net Buoyancy (liters)	543	950
Thickness (mm)	6.5	6.5
SWL (T)	10	10

Material specifications	
Structure	S235 steel galvanized
Float	Rotationally molded UV stabilized High Density Polyethylene
Filling	Polyurethane Foam 40 kg/m ³
Recommended chain	ND 25 4D SL2 Chain

Ref.	DC12
2020/10/20	



All our products specifications and prices are available online, learn more on:

www.fulloceans.com

www.fulloceans.com

info@fulloceans.com | Telephone: +33 (0)413 682 288

Head office: 171 bis, chemin de la Madrague Ville F-13002 Marseille - France

Manufacturing and warehouse facilities: Zone Industrielle Jean Malèze 25, rue Lavoisier F-47240 Bon Encontre - France